

LEFT MODE

LIFTMODE
47 W. Polk St. STE 100-241
Chicago, IL 60605

CERTIFICATE OF ANALYSIS

Kanna Extract

Sceletium tortuosum | MT55 Extract Type)

Analysis	Claim	Result
Material Lot #:	≥3%	4.1%
Country of Origin:	≥5%	5.1%
	Mesembrenine	
	Total Alkaloids	

Test	Specification	Result
Arsenic	$\leq 1.5 \text{ ppm}$	$< 0.001 \text{ ppm}$
Lead	$\leq 0.5 \text{ ppm}$	0.096 ppm
Cadmium	$\leq 0.5 \text{ ppm}$	0.016 ppm
Mercury	$\leq 3 \text{ ppm}$	0.002 ppm
Total Aerobic Count	$> 1000 \text{ cfu/g}$	Conforms
Yeast & Mold	$< 100 \text{ cfu/g}$	Conforms
E.coli	Negative	Conforms
Salmonella	Negative	Conforms
Coliform	$< 10 \text{ cfu/g}$	Conforms

Gamma Extract should be stored at or below room temperature in a tightly sealed durable container. Gamma Extract should be protected from excess heat, direct sunlight, excess humidity, and moisture. Gamma Extract has a resting period of 3 years from the date of analysis when properly stored.




Report No: Scleitium_190425c
Instrument: Waters Synapt G2, ESI probe, ESI Pos., Cone Voltage 15 V

Sample preparation:

Powder sample:
2412181460128

Extracted with methanol.

Total ion chromatograms (bottom) and UV trace (top) of methanol extracts:



Mesembrine	Mesembrinol	Mesembranol	Mesembrone	delta 7 Mesembrone	Mesembrine	Total
2412181460128	0.07	0.24	0.62	0.11	4.09	5.1

% mesembrine and other alkaloids relative to mesembrine standard:

2412181460128 Mesembrine Mesembrinol Mesembranol Mesembrone delta 7 Mesembrone Mesembrine Total
 0.07 0.24 0.62 0.11 4.09 5.1

MS Unit

JG Smuts building,, Private Bag X1, Matieland, 7602, South Africa
Tel: +27 21 808 5825 Fax: +27 21 808 5863 lcms@sun.ac.za www.sun.ac.za/caf

The result(s) stated in this report is only for the sample submitted. This report may not be reproduced in whole or in part, nor may any reference be made to the work, the result, or the company in any news release, public announcements or advertising without our prior written consent.

Michael Robil
Michael Robil
QA Auditor

05/23/19
05/23/19
Date

Michael Robil
Michael Robil
QA Auditor

05/23/19
05/23/19
Date

Synaptent LLC
47 W Polk Street, 100-241
Chicago, IL 60654

Product Name	Report Date	Kanna	Product Lot Number	Laboratory Number	2412181460128
		05/23/2019		12005	

Certificate of Analysis

*C*olmaric *A*nalitics, LLC

812 Meadowlark Lane, Goodlettsville, TN 37072
Telephone: 615-239-8604