

47 W Polk St. STE 100-241 Chicago, IL 60605 liftmode@liftmode.com

Lift \\ode

Kava Extract Powder

Piper Methysticum CO2 Root Extract

Material Lot #: CKW-C-A302840 Test Date: 09-29-2023

Country of Origin: Vanuatu Re-Test Date: 09-27-2026

Analysis Claim Result

Kavalactones ≥30% 32%

Test	Specification	Result
Kavalactones (HPLC)	≥30%	32%
Lead Mercury Cadmium Arsenic	≤1 ppm ≤0.3 ppm ≤0.3 ppm ≤1 ppm	0.00555 ppm <0.005 ppm <0.005 ppm <0.01 ppm
Total Aerobic Plate Count Yeast Moulds Escherichia coli	<10000 cfu/g <500 cfu/g <500 cfu/g <10 cfu/g	20 (est) cfu/g <10 cfu/g <10 cfu/g <10 cfu/g
Coliforms Salmonella Staphylococcus aureus	<10 cfu/g Negative <10 cfu/g	<10 cfu/g Negative <10 cfu/g

Kava Extract should be stored at or below room temperature in a tightly sealed durable container. Kava Extract should be protected from excess heat, direct sunlight, excess humidity, and moisture. Kava Extract has a retesting period of 3 years from the date of analysis when properly stored.



Main Benefits

- Kava (Piper methysticum, or "intoxicating pepper") is a pepper cultivated for its root throughout many Polynesian cultures.
- While the mechanism is not well understood, some studies suggest the active Kavalactones enhance GABAergic activity and increase monoamine concentration in the brain.
- Kava is consumed socially and ceremonially and is thought to have a reverse tolerance. It is sought after for its mood-boosting and relaxing effects.

Main Cautions

- Do not combine Kava extract with alcoholic beverages or other sedative / hypnotic substances or medicines.
- Taking Kava Extract on an empty stomach with fats and lecithin may result in stronger effects.
- Consult your healthcare provider before use if you have a medical condition or if you are taking any prescription medications. Not for use by those under the age of 18, nor by pregnant or nursing people.

Usage Tips

- A 1.0cc measuring scoop is included. One rounded scoops contains approximately one serving of 500mg Kava Extract. As a dietary supplement, take 1 serving up to 2 times per day as needed with or without food. Please start with the lowest suggested single serving quantity to assess response.
- Although there are no known negative side effects attributed to Kava Extract, liver stress has been noted in cases of heavy and sustained use. While our extract has been carefully sourced and processed to minimize liver-stressing flavokavains A and B, moderation is still recommended when enjoying our Kava.
- Kava Extract may gain efficacy with continued use. A reverse tolerance should be factored into doses under repeated use.
- This supplement is not intended to treat, diagnose, prevent, or cure any diseases. Consult your healthcare provider before use if you have a medical condition or if you are taking any prescription medications.
- It is safe to stack Kava Extract with other non-sedating/non hypnotic supplements as long as the amount consumed does not exceed the suggested serving size.
- The benefits of Kava Extract are most effective when they are supported by a healthy diet and plenty of exercise.



Eurofins Microbiology Laboratories (New Berlin)

Eurofins Microbiology Laboratories (New Berlin)

2345 S. 170th St. New Berlin, Wisconsin 53151 +1 262 754 5300 Micro-MKE@EurofinsUS.com

ANALYTICAL REPORT

Client Code: QH0000902

Quality Control Department (COA) 425 BARCLAY BOULEVARD Lincolnshire, IL 60069	ANALYTICAL REPORT AR-23-QH-064035-01		ved On: 29Sep2023 rted On: 06Oct2023
Eurofins Sample Code: 477-2023-0929 Client Sample Code: CKW-C-A3028 Sample Description: Kava Extract P	40 Condition Upon Rec		:
FS001 - Heavy Metals (As, Cd, Hg, and Pb)	Reference AOAC 2011.19, 993.14 and 2015.01 (modified)	Accreditation	Completed Sub 06Oct2023 1
Parameter Arsenic Cadmium Lead	Result <10.0 ppb <5.00 ppb 5.55 ppb		
Mercury UMDTC - Salmonella species - AOAC-Ri	<5.00 ppb	Accreditation	Completed
121501	AOAC-RI 121501	ISO/IEC 17025:2017 A2LA 3329.07	30Sep2023
Parameter Salmonella spp.	Result Not Detected per 25 g		
UMHBM - Staphylococcus aureus - BAM Chapter 12	Reference BAM Chapter 12	Accreditation ISO/IEC 17025:2017 A2LA 3329.07	Completed 01Oct2023
Parameter Staphylococcus aureus	Result < 10 cfu/g		
UMIB1 - Yeast - FDA BAM Chapter 18 mod.	Reference FDA BAM Chapter 18 mod.	Accreditation ISO/IEC 17025:2017 A2LA 3329.07	Completed 04Oct2023

Reference CMMEF Chapter 8.72

Page 1 of 2

Result < 10 cfu/g < 10 cfu/g

Quality Control Department (COA) 425 BARCLAY BOULEVARD Lincolnshire, IL 60069

ANALYTICAL REPORT

AR-23-QH-064035-01

Client Code: QH0000902

Received On: 29Sep2023 Reported On: 06Oct2023

Eurofins Sample Code:	477-2023-09290		Sample Registration Da		
Client Sample Code:	CKW-C-A30284		Condition Upon Receip		
Sample Description:	Kava Extract Por	wder 30%	Sample Reference:	CKW-C-A302840	
UMVSE - Aerobic Plate C Chapter 8.72	ount - CMMEF	Reference CMMEF Chapter	8.72	Accreditation ISO/IEC 17025:2017 A2LA 3329.07	Completed 01Oct2023

Parameter Aerobic Plate Count Result 20 (est) cfu/g

ZMKZR - Total Coliforms - CMMEF Chapter 9.933 Reference CMMEF Chapter 9.933

Subcontracting partners: 1 - Eurofins Food Chemistry Testing US Madison, WI

Respectfully Submitted,

Vatrie Qui

Patricia Quinn Analytical Services Manager

Results shown in this report relate solely to the item submitted for analysis. | Any opinions/interpretations expressed on this report are given independ the laboratory's scope of accreditation. | All results are reported on an 'As Received' basis unless otherwise stated. | Reports shall not be reproduced except in full without written permission of Eurofins Scientific Inc. | All work done in accordance with Eurofins General Terms and Conditions of Season was used for the property of the Conditions of the Condi

Page 2 of 2 10/6/23 12:53 pm



UMVSE - Aerobic Plate Count - CMMEF Chapter 8.72

10/6/23 12:53 pm

Accreditation Completed ISO/IEC 17025:2017 01Oct2023 A2LA 3329.07

Report of Analysis

Synaptent LLC

Attn: adam@synaptent.com 425 Barclay Boulevard Lincolnshire, IL 60069

Control Number: 092923-1500

Product Name: Kava Extract Powder 30% Received On: 09-29-2023 Lot Number: CKW-C-A302840

Analysis Performed	Method	Specification	Result with Units
V Lt	CM 51001	20.00	3.30/

Comments:
All work at Intertek Champaign Laboratories is conducted under the auspices of a rigorous Quality Management System;
however, the data presented with a CM- method in this report was generated using a method obtained from the client.
Intertek makes no claims to the applicability of the data or if the method is scientifically valid. The client is solely responsible
for determining whether the information provided in this report is suitable for the intended application.

Authorized By

Quality Manager

10-10-2023 Page 1 of 1