

Certificate of Analysis

47 W Polk St. STE 100-241
Chicago, IL 60605
liftmode@liftmode.com



BaiCalm Capsules



Material Lot #: 31331 Test Date: 08/04/2023
Country of Manufacturing: USA Re-Test Date: 04/08/2025
Country of Origin: India / China

BaiCalm Formula

Ingredient	mg/serving	Test/Method	Specification	Result
Scutellaria Baicalensis Extract	256mg	Baicalein (HPLC)	98%	Pass
Magnolia Bark Extract	169mg	Magnolol & Honokiol (HPLC)	95%	Pass
L-Theanine	102mg	L-Theanine (HPLC)	99%	Pass
Curcumin	82mg	Curcuminoid (HPLC)	95%	Pass
Sinomenium Acutum Stem Extract	41mg	Sinomenine HCl (HPLC)	98%	Pass
Black Pepper Fruit Extract	10mg	Piperine (HPLC)	95%	Pass

BaiCalm Safety

Test	Specification	Results
Lead	≤0.5 ppm	Pass
Mercury	≤0.5 ppm	Pass
Cadmium	≤0.5 ppm	Pass
Arsenic	≤0.5 ppm	Pass
Total Aerobic Plate Count	<1000 cfu/g	Pass
Yeast	< 100 cfu/g	Pass
Mold	< 100 cfu/g	Pass
Escherichia coli	<10 cfu/g	Pass
Coliforms	<10 cfu/g	Pass
Salmonella	Negative	Pass
Staphylococcus aureus	<10 cfu/g	Pass

BaiCalm Capsules should be stored at or below room temperature in a tightly sealed durable container. BaiCalm Capsules should be protected from excess heat, direct sunlight, excess humidity, and moisture.

For full version of COA and all third-party lab results please visit:
<https://liftmode.com/coas/LMBaiCalm31331CapsulesFullCOA.pdf>

Or scan the QR code ->



Eurofins Microbiology Laboratories (New Berlin)

Eurofins Microbiology Laboratories (New Berlin)

2345 S. 170th St.
New Berlin, Wisconsin 53151
+1 262 754 5000
Micro-NR@EurofinsUS.com

Client Code: QH0000902
Received On: 26.JUL2023
Reported On: 31.JUL2023

ANALYTICAL REPORT

AR-25-QH-048346-01

Synapient
Quality Control Department (COA)
425 BARCLAY BOULEVARD
Lincolnshire, IL 60069

Eurofins Sample Code:	477-2023-07260264	Sample Registration Date:	26.JUL2023
Client Sample Code:	31331	Condition Upon Receipt:	acceptable, 23°C
Sample Description:	BaiCalm Capsules	Sample Reference:	31331
UMVBO - Total Coliforms - CMMEF Chapter 9.933	Reference CMMEF Chapter 9.933	Accreditation ISO/IEC 17025:2017 AZLA 3329.07	Completed 27.JUL2023
Parameter Coliforms	Result < 10 cfu/g		
Parameter Escherichia coli	Result < 10 cfu/g		
UMDTC - Salmonella species - AOAC-R1 121.501	Reference AOAC-R1 121.501	Accreditation ISO/IEC 17025:2017 AZLA 3329.07	Completed 27.JUL2023
Parameter Salmonella	Result Not Detected per 25 g		
UMHBM - Staphylococcus aureus - BAM Chapter 12	Reference BAM Chapter 12	Accreditation ISO/IEC 17025:2017 AZLA 3329.07	Completed 28.JUL2023
Parameter Staphylococcus aureus	Result < 10 cfu/g		
UMIB1 - Yeast - FDA BAM Chapter 18 mod.	Reference FDA BAM Chapter 18 mod.	Accreditation ISO/IEC 17025:2017 AZLA 3329.07	Completed 31.JUL2023
Parameter Yeast	Result < 10 cfu/g		
Parameter Moulds	Result < 10 cfu/g		
UMVSE - Aerobic Plate Count - CMMEF Chapter 6.72	Reference CMMEF Chapter 6.72	Accreditation ISO/IEC 17025:2017 AZLA 3329.07	Completed 28.JUL2023

Synapient

Quality Control Department (COA)
425 BARCLAY BOULEVARD
Lincolnshire, IL 60069

ANALYTICAL REPORT

AR-25-QH-048346-01

Client Code: QH0000902

Received On: 26.JUL2023
Reported On: 31.JUL2023

Eurofins Sample Code:	477-2023-07260264	Sample Registration Date:	26.JUL2023
Client Sample Code:	31331	Condition Upon Receipt:	acceptable, 23°C
Sample Description:	BaiCalm Capsules	Sample Reference:	31331
UMVSE - Aerobic Plate Count - CMMEF Chapter 6.72	Reference CMMEF Chapter 6.72	Accreditation ISO/IEC 17025:2017 AZLA 3329.07	Completed 28.JUL2023
Parameter Aerobic Plate Count	Result < 10 cfu/g		

Respectfully Submitted,

Anthony Boehler

Anthony Boehler
Operations Supervisor



Results shown in this report relate solely to the item submitted for analysis. Any opinions/interpretations expressed on this report are given independent of the laboratory's scope of accreditation. All results are reported on an "As Received" basis unless otherwise stated. Reports shall not be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system. The use of the word "pass" indicates a subcontract test to a different lab. Lab(s) are listed at end of the report. For further details about the performing labs please contact your customer service contact at Eurofins. Measurement of uncertainty can be obtained upon request.