

LIFTMODE 47 W. Polk St. STE 100-241 Chicago, IL 60605




CERTIFICATE OF ANALYSIS

Synephrine HCL (P

Material Lot #: Country of Origin:	181003 China		anufacture Date: e-Test Date:	10/16/2018 10/15/2021	
Analysis		Claim		Result	
Synephrine HCL		≥98%		99.2%	
Test		Specification		Result	
Appearance		Off-white to white fine pov	vder	Complies	
Loss on Drying		<0.5%		0.13%	
Residue on Ignition		<0.2%		0.16%	
Heavy Metals (µg/g)		<10 ppm		Complies	
Arsenic		<2 ppm		Complies	
Lead		<2 ppm		Complies	
Cadmium		<1 ppm		Complies	
Mercury		<1 ppm		Complies	
Total Plate Count		<1000 cfu/g		Complies	
Mould and Yeast		<100 cfu/g		Complies	
Coliform		<10 cfu/g		Complies	
Salmonella		Negative Result		Complies	
E.coli		Negative Result		Complies	
Stephylococcus		Negative Result		Complies	
Pseudomonas aeruginosa		Negative Result		Complies	
Assay %		>98%		99.2%	

Synephrine should be stored at or below room temperature in a tightly sealed durable container. Synephrine should be protected from excess heat, direct sunlight, excess humidity and moisture Synephrine has a stable shell life of 3 years from the date of manufacture when properly stored.





812 Meadow Lark Lane, Godlettsville, TN 37072 Telephone: 615-239-8604

Certificate of Analysis

Synaptent LLC 47 W Polk Street, 100-241 Chicago, IL 60654

1

Product Name	Synephrine Capsule	Client Lot Nun	191023 nber
Report Date	11/15/19	Laboratory	# 13174
Te	st	Method	Result
Synephrine HCL		HPLC	181 mg/g
Ascorbyl Palmitate		HPLC	230 mg/g

NT

Product Name	Synephrine HCL	Product Lot Number	181003	
Report Date	12/19/2018	Laboratory Number	11245	
Descripti	on	Method	Results	
Identificat	tion	HPLC	Positive	
Assay		HPLC	99.4 %	
Lead		ICP-MS	0.014 ppm	
Arsenie	3	ICP-MS	<0.001 ppm	
Cadmiu	m	ICP-MS	<0.001 ppm	
Mercur	y	ICP-MS	0.004 ppm	

, LLC

812 Meadowlark Lane, Goodlettsville, TN 37072

Telephone: 615-239-8604

Certificate of Analysis

Michay Robin

Michael Robil **OA** Auditor

12/19/18 12/19/2018 Date

The result(s) stated in this report is only for the sample submitted. This report may not be reproduced in whole or in part, nor may any reference be made to the work, the result, or the company in any news release, public announcements or advertising without our prior written consent.

Collin Thomas Laboratory Manager

Magnesium Beta hydroxybutyrate NT: Non-Aqueous Titration

11/15/2019 11/15/19 Date

463 mg/g

The result(s) stated in this report is only for the sample submitted. This report may not be reproduced in whole or in part, nor may any reference be made to the work, the result, or the company in any news release, public announcements or advertising without our prior written consent.